BenchBlotter[™] **Benchmark Platform Rocker**

- Gentle mixing (12 rpm and +/- 8° tilt)
- Compact, low profile design
- Dual platform option expands workspace
- Safe for incubator/cold room use



The **BenchBlotter** is the first rocker to be specifically optimized with the ideal rocking speed and tilt angle for blot washing, gel staining/destaining and hybridization applications. Available with an optional dual platform accessory, the **BenchBlotter** offers a sizeable work space, while maintaining a compact footprint and low profile design.

Lightweight and easy to carry, it can be easily transported from the lab bench to a cold room or incubator.

The large load capacity (7 lbs.), optional dimpled mat for centrifuge tubes and multiple platform tie-down points, make this rocker suitable for a wide variety of general purpose applications.

Technical Data

Speed: Tilt Angle: Platform Size: Work Surface: Load Capacity: Operating Temp. Range: +4°C to +45°C **Dimensions:**

Weight: Warranty: Electrical:

Fixed at 12 rpm Fixed at 10 rpm (230V) +/- 8° 30x30 cm / 12x12 in. Non-Skid Rubber Mat 2.3 kg / 5 lbs. 34 x 30 x 12 cm 13.5 x 11.8 x 4.7 in. 3 kg / 6.5 lb 2 Years 115V AC, 60 Hz, 0.4A 230V AC, 50 Hz, 0.2A

Ordering Information

BR1000*

BenchBlotter Platform Rocker

BR1000-FLAT BR1000-DIMPLED BR1000-STACK

Non-Skid rubber mat (included) **Optional dimpled mat** Optional stacking platform, with flat mat

*To order a product in 230V, please add -230 to item number.



Benchmark Scientific Inc. PO Box 709 Edison, NJ 08817 Phone: 908-769-5555 Fax: 908-222-1864 Web: www.BenchmarkScientific.com Email: Info@BenchmarkScientific.com